

IN THE CLAIMS

Please amend the claims as follows:

1. (Cancelled).

2. (Currently Amended) ~~The television system as claimed in claim 1~~ A television system comprising a tuner for tuning video signals, a controller for controlling said tuner, and a stage for receiving tuned signals from said tuner and for supplying at least one control signal to said controller, wherein said stage comprises an automatic fine tuning unit for generating an automatic fine tuning signal and a phase-locked-loop for generating a lock signal more quickly available than the automatic fine tuning signal, said lock signal forming said at least one control signal for said controller to provide an indication whether a channel at a tuned frequency is active or not,

 wherein said television system comprises a synchronization generator for synchronizing video signals originating from said stage and for supplying at least one synchronization signal to said controller, said controller comprising a switch for, in dependence of said lock signal, taking or not taking into account said synchronization signal.

3. (Previously Presented) The television system as claimed in claim 2, wherein said controller, in a fast tuning mode, controls said tuner such that one or more frequencies nearby one or more

active channels are detected, with said controller, in a fine tuning mode, controlling said tuner such that one or more channel frequencies are identified.

4. (Previously Presented) The television system as claimed in claim 3, wherein said controller receives a further control signal, and wherein said stage comprises an intermediate frequency stage having means for generating a fine tuning signal, said automatic fine tuning signal comprising said further control signal.

5. (Previously Presented) The television system as claimed in claim 4, wherein a number of channels are predefined channels in accordance with a frequency table.

6. (Previously Presented) The television system as claimed in claim 5, wherein said lock signal is a phase-locked-loop lock bit derived from an alternating current content of an oscillator input signal in said phase-locked-loop.

7. (Cancelled)..

8. (Currently Amended) ~~The controller as claimed in claim 7A~~
controller for use in television system comprising a tuner for
tuning video signals and said controller for controlling said tuner
and a stage for receiving tuned signals from said tuner and for
supplying at least one control signal to said controller, wherein

said stage comprises an automatic fine tuning unit for generating an automatic fine tuning signal and a phase-locked-loop for generating a lock signal more quickly available than the automatic fine tuning signal, said lock signal forming said at least one control signal for said controller to provide an indication whether a channel at a tuned frequency is active or not, wherein said television system comprises a synchronization generator for synchronizing video signals originating from said stage and for supplying at least one synchronization signal to said controller, said controller comprising a switch for, in dependence of said lock signal, taking or not taking into account said synchronization signal.

9. (Currently Amended) A method for use in television system comprising a tuner for tuning video signals and a stage for receiving tuned signals from said tuner, said method comprising the steps of:

tuning said tuner to one of a plurality of frequencies at which video signal should be located:

determining whether a channel is active at the tuned frequency using a phase-locked-loop in said stage, said phase-locked loop generating a lock signal in response thereto in a manner more quickly available than an automatic fine tuning signal of an automatic fine tuning unit of the stage; and

controlling the tuner with a control signal comprising said lock signal.

wherein said method further comprises the step of:
synchronizing video signals originating from said stage
and for supplying at least one synchronization signal,
and wherein said controlling step takes or does not take
into account said synchronization signal, in dependence on said
lock signal.

10. (Previously Presented) A computer-readable medium for use in television system comprising a tuner for tuning video signals, a stage for receiving tuned signals from said tuner and a controller, which said computer-readable medium having programming instructions stored thereon for causing the controller to execute the method as claimed in claim 9.